Kinetic Methods of Quantitative Analysis. SOV/75-14-1-11/32 Communication 5. A Kinetic Method for the Quantitative Determination of Tantalum

time intervals. Initial concentrations were:

tantalum 2.10⁻⁶ - 5.10⁻⁵ m; potassium iodide 2.10⁻⁴ - 2.10⁻⁵m;

hydrogen peroxide 2.10⁻⁴ - 2.10⁻³ m;

hydrochloric acid 0.1 - 0.5 m. To obtain an equation for the reaction velocity, the dependence of the latter on the concentration of the individual reagents was investigated.

Basing on the results illustrated in diagrams the reaction velocity can be formulated as follows:

$$\frac{d [J_2]}{d\tau} = (x_0 + x_1 c_{H^+}) \cdot c_{J^-} \cdot c_{H_2 O_2} \cdot c_{Ta}.$$

where c_{J^-} , $c_{H_20_2}$, c_{H^+} , c_{Ta} are the respective

concentrations, x is the velocity constant of reaction (catalysis coefficient). Also the influence of foreign ions upon the accuracy of tantalum determination according to this

Card 2/3

SOV/75-14-1-11/32 Kinetic Methods of Quantitative Analysis. Communication 5. A Kinetic Hethod for the Quantitative Determination of Vantelum

> nothed was investigated. It was found that in colutions containing no reaction cetalycing elements, large quantities of the usually present cations and anions do not cauce any disturbance. Fluorides retard reaction, as they bind tantalum to a complex. The accelerating effect of nitrate ions is emplained by traces of mitrite, by which reaction is catalyzed; titanium and zirconium do not disturb, as their oxelate complexes do not catalyze the reaction (Mef 1). Hor does miobium up to a throo-fold excess disturb the determination of tantalum. The same applies for sulfates in concentrations of up to 0.1 m. The new method described for the determination of tantalum is high-sensitive. There are 4 figures, 1 table, and 4 references, 3 of which are Soviet.

ASSOCIATION: Ivanovekiy khimiko-tekhnologicheskiy institut (Ivanovo Chemical-Technological Institute)

SUBMITCHED:

January 20, 1958

Card 3/3

sov/76-33-2-14/45 5(4) Vasil'yev, V. P., Zolotarev, Ye. K., Yatsimirskiy, K. B.

The Entropy of Gaseous Monatomic Ions (Entro; ii gazo-

TITLE: obraznykh odnoatomnykh ionov)

Zhurnal fizicheskoy khimii, 1959, Vol 33, Nr 2, PERIODICAL:

pp 328 - 330 (USSR)

AUTHORS:

Values of the entropy of gaseous ions are often needed ABSTRACT: for calculating the entropy of hydration of ions for the

quantitative calculation of a series of cycles in which gaseous ions appear in intermediate stages. The calculation of the entropy of gaseous monatomic particles is carried

out using a well-known equation of statistical thermodynamics (1) (Ref 2) in which the entropy of the rotation of the monatomic gases is neglected. In chemical equilibrium at medium and high temperatures the entropy of the nuclear spin can also be neglected (Ref 2). Thus in the calculation

of the entropy of a monatomic ion at standard conditions only the atomic weight of the particle and the statistical

weight of the electronic ground level must be known. A table is given (Table 1) showing entropy values for 66 Card 1/2

The Entropy of Gaseous Monatomic Ions

sov/76-33-2-14/45

gaseous monatomic ions at standard conditions. The majority of the data on the electronic configuration and the terms of the ground state were taken from the publications (Refs 3,5). In the cases where no data were given in the publications the most probable electronic structure was assigned and the terms were derived according to Gregory (Gregori) (Ref 4). There are 1 table and 5 references, 2 of which are Soviet.

ASSOCIATION:

Ivanovskiy khimiko-tekhnologicheskiy institut (Ivanovo

Chemical Technological Institute)

SUBMITTED:

July 5, 1957

Card 2/2

5.4130 54120

66739 SOV/20-129-2-33/66

AUTHOR:

Yatsimirskiy, K. B.

TITLE:

Solubility of the Compounds of Transition Metals in the Light of the Crystal Field Theory

PERIODICAL:

Doklady Akademii nauk SSSR, 1959, Vol 129, Nr 2, pp 354 - 356

ABSTRACT:

If a metal ion with an incomplete electron shell comes into a field of anions or polarized molecules, the energetic main level is split up into sublevels. The number of the latter can be computed by the aid of the group theory (Ref 1) (Stark's intramolecular effect). If the sublevels in the gaseous ion below the main levels are filled with electrons, additional energy is obtained, the so-called extra-stabilization energy. The value of it can be computed by a formula (Refs.2,3) $E = \rho V$, (1) where V denotes the difference between two energetic levels and ρ is a multiplier which is dependent on the electronic structure of the metal ion and on the spatial arrangement of the field-forming anions or molecules around the metal ion. For the dissolution of a salt in water the author gives equation (2). The field formed in the crystal by the anions X is succeeded by the field formed by the H20-molecules. In this case, the effect of the

Card 1/3

APPROVED FOR RELEASE: 09/19/2001

CIA-RDP86-00513R001962310009-0"

66739

Solubility of the Compounds of Transition Metals in the SOV/20-129-2-33/66 Light of the Crystal Field Theory

crystal field constitutes a difference of the energies of extrastabilization (3). A transformation of equation (3) leads to: $\Delta E = \Delta \rho V_{H_2O} + \rho X \Delta V$ (4), where $\Delta \rho = \rho_{H_2O} - \rho X$, $\Delta V = V_{H_2O} - V_X$ holds. There is the possibility of indicating the entire course of the value AE at least in a first approximation. Table 1 shows the results of such computations for various ratios of $V_{\rm H_2O}$ and V_{X} . The values given in table 1 show that the solution heats of the salts in the sequence: Mn²⁺, Fe²⁺, Co²⁺, Ni²⁺, Cu²⁺, and Zn² do not change linearly with the change of the ordinal number. In the case of copper salts, deviations in the direction of endothermal effects (negative values of AE) do always occur. Sign and magnitude of deviation in other salts depend on the field force (V_X) ; in the case of weak fields, deviations occur in the direction of exothermal effects, in the case of strong ones in the direction of endothermal effects. Table 2 shows values of solution heats taken from a reference book (Ref 5) for halides, hydroxides, sulfates, and sulfides of the mentioned metals as well as the deviations from such values determined by means of

card 2/3

66739

Solubility of the Compounds of Transition Metals in the SOV/20-129-2-33/66 Light of the Crystal Field Theory

linear interpolation. For reasons of convenience, the sign of deviation is changed into the inverse. The course of change in halides reminds one of the first type of change of $\Delta E(V_{\rm H_2O} \leqslant V_{\rm X})$, that of hydroxides of the 2nd or 3rd type of change of $\Delta E(V_{\rm X})$, and in the case of sulfides, the 4th type

 $(V_X)V_{H_2O}$). The solubility of a salt is characterized by the amount of the solubility product (S.-P.). Logarithm of S.-P. (at constant temperature) is proportional to the change of free energy with an inverse sign $\Delta Z = -2.3RT$ lg S.-P. (5). Table 3 supplies S.-P. logarithms of hydroxides, oxyquinolates, and sulfides of the mentioned metals as well as the deviations from the linear course. These data are in good agreement with those given in tables 1 and 2. Thus, the above results confirm the above mentioned theoretically derived rule. There are 3 tables and 7 references, 3 of which are Soviet.

PRESENTED:

July 1, 1959, by A. A. Grinberg, Academician

SUBMITTED:

July 1, 1959

Card 3/3

"APPROVED FOR RELEASE: 09/19/2001 CIA-RDP86-00513R001962310009-0

YATSIMINSKIY, K. B.

Instability Constants of Complex Compounds, by K.B. Ysteisitakiy and V.P. Va sil'yev. New York, Pergron Press, 1960.
VIII, 218 p. graphs, tables.
Translated from the original Russian: Konstanty restoykosti kompleksnykh

s oyeineniy, Moscow, 1959. Includes references.

"APPROVED FOR RELEASE: 09/19/2001 CIA-RDP86-00513R001962310009-0

YATSIMIRSKIY, K. B., BUDARIN, L. I.

"Determination of Equilibrium Constants in Systems Involving Complex Formation, on the Basis of Study of Catalytic Polarographic Currents"

submitted at the Conference on Kinetic Methods of Analysis, Ivanovo, 14-16 June 1960

So: Izvestiya Vysshikh Uchebnykh Zavedeniy SSSR, Khimiya i Khimicheskaya Technologiya, Vol III, No 6 Ivanovo, 1960, pages 1113-1116.

YATSIMIRSKIY, K. B.

"Present Status and Prospects in the Development of Kinetic Methods of Analysis"

submitted at the Conference on Kinetic Methods of Analysis, Ivanovo, 14-16 June 1960

So: Izvestiya Vysshikh Uchebnykh Zavedeniy SSSR, Khimiya i Khimicheskaya Technologiya, Vol III, No 6 Ivanovo, 1960, pages 1113-1116.

YATSIMIRSKIY, K. B. (IVANOVO)

"The Use of Kinetic Methods for the Determination of Noble Metals"

paper submitted to the Fifth Conference on the Analysis of Noble Metals, Novosibirsk, 20-23 September 1960

So: Zhurnal analiticheskoy khimii, Vol XVI, No. 1, 1961, page 119

s/003/60/000/003/001/001 B020/B077

Yatsimirskiy, K. B., Doctor of Chemical Sciences, Professor

A Plan to Introduce a Study of Advanced Methods of Chemical AUTHORS:

TITLE:

Vestnik vysshey shkoly, 1960, No. 3, pp. 77 - 79

TEXT: The question of organizing instructions on advanced methods of chemical analysis, usually combined as physicochemical methods, came up quite often in publications of institutions of higher education, at the PERIODICAL: konferentsiya po metodike prepodavaniya analiticheskoy khimii (Conference on Methods of Instructing Analytical Chemistry) held by the Ministers tvo vysshego obrazovaniya (Ministry of Higher Education) in 1949 and was the main point of discussion at the soveshchaniye po metodam prepodavaniya analiticheskoy khimii (Conference on Methods of Instructing Analytical Chemistry) in 1957. For future technologists, the new curriculum provides 68 hours of instruction in methods of physicochemical analysis in the fourth term. This will make it possible to add instruction in analytical

Card 1/3

nga kanasan angan angan angan kangan kan APPROVED FOR RELEASE: 09/19/2001 C1A-RDP86-00513R001962310009-0"

A Plan to Introduce a Study of Advanced Methods of Chemical Analysis S/003/60/000/003/001/001 B020/B077

chemistry in the near future to all institutions of higher education teaching chemical technology, including the large group of optical methods (absorption and emission spectroscopy, nephelometry, turbidimetry, etc.), electrochemical methods (electroanalysis, polarography, potentiometry, conductometry, etc.), and also radiochemical and other methods of analysis. I. P. Alimarin, Corresponding Member AS USSR, tried these methods of instruction with success at the Moskovskiy institut tonkoy khimicheskoy tekhnologie (Moscow Institute of Fine Chemical Technology). So far not even a name has been found for this new subject; the author suggests the name "Optical, Electrochemical, and Radiochemical Analytical Methods". The institute mentioned under "Association" started teaching this subject in the schoolyear of 1957/58 to eight groups of about 200 students. The division of each course and the equipment of the laboratories are described, and the length of these courses is given as 20 - 30 hours and that of laboratory work as 40 hours. The basic and auxiliary sciences which form part of the above-mentioned subject are enumerated.

Card 2/3

A Plan to Introduce a Study of Advanced Methods of Chemical Analysis

S/003/60/000/003/001/001 B020/B077

Finally, 13 problems for laboratory work are mentioned. A shortcoming of these instructions is seen in the shortage of suitable literature, since there is only one book that deals with this subject: "Fiziko-khimicheskiye metody analiza" (Physicochemical Methods of Analysis") by Yu. S. Lyalikov, published by Metallurgizdat, Moscow, 1951. A coworker of the author translated and enlarged the English book by G. V. Yuing (Hewing) "Instrumental Methods of Chemical Analysis" ("Instrumental nyye metody khimicheskogo analiza"), New York, 1954. It would be desirable to increase the courses to 30 - 35 hours and laboratory work to 60 - 70 hours. Ivanovskiy sovnarkhoz (Ivanovo sovnarkhoz) is mentioned.

ASSOCIATION:

Ivanovskiy khimiko-tekhnologicheskiy institut (Institute of Chemical Technology)

Card 3/3

ESTER FOR

s/030/60/000/010/013/018 B021/B058

AUTHOR:

Yatsimirskiy, K. B., Doctor of Chemical Sciences

TITLE:

The Development of Kinetic Analysis Methods

Vestnik Akademii nauk SSSR, 1960, No. 10, pp. 108 - 110 PERIODICAL:

These analysis methods develop successfully at present, but so far they have not been specially discussed at a conference. For this reason the Ministerstvo vysshego i srednego spetsial nogo obrazovaniya SSSR (Ministry of Higher and Intermediate Special Training USSR) and the Commission for Analytical Chemistry of the Akademiya nauk SSSR (Academy of Sciences USSR) held a Conference on Kinetic Analysis Methods at the Ivanovskiy khimiko-tekhnologicheskiy institut (Ivanovo Chemical and Technological Institute) from June 14 to 16, 1960. It was attended by: Collaborators of the Institut geckhimii i analiticheskoy khimii Akademii nauk SSSR (Institute of Geochemistry and Analytical Chemistry of the Academy of Sciences USSR), the Institut obshchey i neorganicheskoy khimii Akademii nauk USSR

Card 1/3

CIA-RDP86-00513R001962310009-0" **APPROVED FOR RELEASE: 09/19/2001**

The Development of Kinetic Analysis Methods

s/030/60/000/010/013/018 B021/B058

(Institute of General and Inorganic Chemistry of the Academy of Sciences UkrSSR), the universities of Moscow, Kiyev and Dnepropetrovsk, the Institut khimicheskikh reaktivov (IREA) (Institute of Chemical Reagents (IREA)), as well as collaborators of a number of other scientific research institutes, schools of higher learning and plant laboratories. The following lectures were delivered: I. P. Alimarin and Yu. V. Yakovlev studied the applicabilities of various methods for determining traces of impurities in high-purity materials; K. B. Yatsimirskiy reported on the present state and the development prospects of kinetic analysis methods; S. I. Sinyakova, on the use of kinetic electric currents in polarography for determining small concentrations of some elements. A number of reports dealt with new methods for the determination of sulfur (A.K. Babko and L. V. Markova), copper and molybdenum (B. Ye. Reznik, G. M. Ganzburg, N. A. Bednyak and M. V. Pchelkina), tungsten (R. P. Pantaler), polonium (V. I. Kuznetsov) and silver (M. N. Orlova). Some reports dealt with the possibilities of using kinetic methods for studying the complex formation (L. P. Rayzman, K. Ye. Prik). A. K. Babko and

Card 2/3

APPROVED FOR RELEASE: 09/19/2001

CIA-RDP86-00513R001962310009-0"

The Development of Kinetic Analysis Methods

S/030/60/000/010/013/018 B021/B058

N. M. Lukovskaya reported on the influence of complex formation on the kinetics and mechanism of some reactions of chemiluminescence; K. B. Yatsimirskiy and L. I. Budarin, on the determination of the composition and stability of some complexes by means of polarographic methods. Finally, it is stated that the great majority of kinetic analysis methods described in publications was tried out with pure solutions and only on few substances. Few studies only dealt with the analysis of industrial products. The elaboration of concrete analysis methods for industrial products by utilizing kinetic methods is described as being one of the most important tasks for chemists-analysts. For the development of kinetic analysis methods it is necessary to strengthen the ties of analytical chemistry with physical, organic and biological chemistry.

Card 3/3

 s/153/60/003/004/014/040/XX B020/B054

AUTHORS:

Orlova, M. N., Yatsimirskiy, K. B.

TITLE:

Kinetics and Mechanism of the Decomposition Reaction of the Hexacyanoferroate Ion in the Presence of Silver

Compounds

PERIODICAL:

Izvestiya vysshikh uchebnykh zavedeniy. Khimiya i khimicheskaya tekhnologiya, 1960, Vol. 3, No. 4,

pp. 630 - 636

TEXT: The hexacyanoferroate ion is distinguished by high stability. At increased temperature (Ref.1), or under the action of light (Ref.2), the hexacyanoferroate ion decomposes slowly in weakly acid solution to form soluble Prussian blue. The rate of this reaction increases consider-

ably in the presence of Hg2+ ions (Refs.3,4) which bind the cyanide ions in the form of a stable complex. The kinetics of the decomposition process of the hexacyanoferroate ion in the presence of silver compounds was studied at 40°C by an optical method. To determine the dependence of

Card 1/4

Kinetics and Mechanism of the Decomposition S/153/60/003/004/014/040/XX Reaction of the Hexacyanoferroate Ion in the B020/B054 Presence of Silver Compounds

the reaction rate in the presence of AgNO3 on the acidity of the solution, the authors conducted a test series at different pH and constant K4 [Fe(CN)6] - and AgNO3 concentrations (Fig.1). The pH of the solutions was measured with a glass electrode in an JII-5 (LP-5) tube potentiometer. The decomposition reaction only sets in at a pH below 5, and its rate increases with acidity. The dependence of light absorption on the concentration of potassium hexacyanoferroate is shown in Fig. 2, and that of the decomposition reaction rate on the AgNO concentration in Fig. 3. At AgNO concentrations of from 2.0.10 to 1.3.10 moles/1, the relation between light absorption of the solutions at a certain reaction time (D100) and the logarithm of the AgNO3 concentration is linear (Fig.4). The catalytic action of AgNO3 is considerably increased by addition of thiourea, even in amounts of only 10-5 moles/1 (Fig. 5). Fig. 6 shows the change in light absorption of the solutions with time at variable AgNO3 concentration, and Fig.7 the linear Card 2/4

Kinetics and Mechanism of the Decomposition S/153/60/003/004/014/040/XX Reaction of the Hexacyanoferroate Ion in the B020/B054 Presence of Silver Compounds

relation between the light absorption of the solutions and the logarithm of the silver salt concentration for a certain time in a concentration range of silver ions between $3\cdot10^{-7}$ and $2\cdot10^{-6}$ moles/1, and in the presence of thiourea. The catalytic reaction is much slowed down by addition of a NaCN solution to a weakly acid hexacyanoferroate solution containing AgNO₃ and thiourea (Fig.8). The authors revealed the reaction mechanism according to which the slowest reaction is the decomposition of the intermediate complex formed from positively charged catalyst ions (Ag⁺ or Ag(CSN₂H₄)⁺₂) and the cyanide complex of bivalent iron. They also derived the kinetic equation for this reaction, and calculated the rate constants (Table 1). At a pH of 3.7, and at 40° C, the rate constant of the reaction is equal to 0.016 ± 0.003 min⁻¹ (Table 2). The authors determined the equilibrium constant of the conversion of the cyanide complex of silver into a thiourea complex in weakly acid solution. Silver can be quantitatively determined in concentrations of the order of

Card 3/4

"APPROVED FOR RELEASE: 09/19/2001 CIA-RDP86-00513R001962310009-0

Kinetics and Mechanism of the Decomposition S/153/60/003/004/014/040/XX Reaction of the Hexacyanoferroate Ion in the B020/B054 Presence of Silver Compounds

magnitude between 10⁻⁷ and 10⁻⁶ moles/1 on the basis of light absorption measurements in solutions containing potassium hexacyanoferroate, an acetate buffer, a silver salt, and thiourea. There are 8 figures, 2 tables, and 14 references: 3 Soviet, 1 US, 4 British, 2 Yugo-Slav, 2 French, 1 Austrian, and 1 Dutch.

Ivanovskiy khimiko-tekhnologicheskiy institut, kafedra ASSOCIATION:

analiticheskoy khimii (Ivanovo Institute of Chemical Technology, Department of Analytical Chemistry)

SUBMITTED:

December 9, 1958

Card 4/4

8/153/60/003/005/001/016 B013/B058

AUTHOR:

Yatsmirskiy, K.

TITLE:

Anatoliy Fedorovich Kapustinskiy (December 29, 1906 -

August 26, 1960)

PERIODICAL:

Izvestiya vysshikh uchebnykh zavedeniy. Khimiya i khimicheskaya tekhnologiya, 1960, Vol. 3, No. 5,

PP - 779 - 782

This article is devoted to Professor Anatoliy Fedorovich Kapustinskiy, Corresponding Member of the Academy of Sciences USSR, Doctor of Chemical Sciences, who died on August 26, 1960. Anatoliy Fedorovich Kapustinskiy was born in Zhitomir on December 29, 1906. He graduated from the khimicheskiy fakul'tet Moskovskogo gosucarstvennogo universiteta (Chemical Division of Moscow State University) in 1929. At the start of his activities he did research work at the Vseroyuznyy institut prikladnoy mineralogii (All-Union Institute of Applied Mineralogy), receiving support by his teachers I.A. Kablukov, Honored Academician, and Academician E.V. Britske. At the age of 27, he was appointed Professor and Head of the Department of Gor'kiy gosudarstvennyy universitet

Card 1/3

Anatoliy Fedorovich Kapustinskiy (December 29, 1906 - August 26, 1960)

S/153/60/003/005/001/016 B013/B058

(Gor'kiy State University). From 1937, he was Professor and Head at the kafedra fizicheskoy khimii Moskovskogo instituta stali (Department of Physical Chemistry of the Moscow Steel Institute). During the Patriotic War (1941-1943) he was Head of the Department of Physical Chemistry of he Kazanskiy gosudarstvennyy universitet (Kazan' State University). From 1943 to his death, he was Head of the kafedra neorganicheskoy i obshchey khimii Moskovskogo khimiko- tekhnologicheskogo instituta (Department of Inorganic and General Chemistry of the Moscow Institute of Chemical Technology). Kapustinskiy was elected Corresponding Member of the Academy of Sciences USSR in 1939. From 1941, he worked at the institut obshchey i neorganicheskoy khimii Akademii nauk SSSR (Institute of General and Inorganic Chemistry of the Academy of Sciences USSR). Anatoliy Fedorovich Kapustinskiy was one of the most outstanding teachers and inorganic chemists of the USSR. He began his scientific activity as an experimenter, developing numerous new ideas in the theoretical field. Thermodynamics of solids and crystal chemistry were the main fields of his scientific activity, but Kapustinskiy also extended his research work to the field of thermodynamics of electrolytic solutions. His great interest was devoted to the history of

Card 2/3

Anatoliy Fedorovich Kapustinskiy (December 29, 1906 - August 26, 1960)

S/153/60/003/005/001/016 B013/B058

chemistry. More than 27 of his papers deal with historical problems. He was Chairman of the Natsional noye ob yedineniye sovetskikh istorikov khimii (National Association of Soviet Chemistry Historians). Kapustinskiy published about 300 scientific papers, among them books, articles in Soviet and foreign periodicals, compilations, the Great Encyclopedia, and others. He held numerous lectures at congresses, meetings and conferences in the USSR as well as abroad. He was active as an editor. For more than 20 years he was Assistant Chief Editor of the periodical "Izvestiya Akademii Nauk SSSR, OKhN". He was a member of the editorial board for the 2nd edition of the Great Soviet Encyclopedia, and edited several great publications. For his merits, Kapustinskiy was decorated by the government with the Order of the Red Banner of Labor and several medals. There is 1 figure.

Card 3/3

"APPROVED FOR RELEASE: 09/19/2001 CIA-RDP86-00513R001962310009-0

YATSIM	RSKIY, K.B.	
	Effect of various factors on the extract compounds. Isv. vys. ucheb. zav; khim. no. 5:823-825 '60.	tion of ionis i khim. tekh. 3 (MIRL 13:12)
	1. Ivanovskiy khimiko-tekhnologicheskiy analiticheskoy khimii.	institut. Kafedra
	(Ions)	

B/153/60/003/006/009/009 B103/B206

AUTHORS: Vasil'yev, V. P., Korableva, V. D., Yatsimirskiy, K. B.

TITLE: Conference on kinetic analysis methods

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy. Khimiya i khimicheskaya tekhnologiya, v. 3, no. 6, 1960, 1113-1116

TEXT: In the introduction the authors state that coordination and discussion of kinetic analysis methods have been deficient thus far, although they are successfully studied in the USSR and abroad. They are of special importance for the determination of minute amounts of admixtures and concentrations of elements. In this connection the Ministerstvo vysshego i srednego spetsial nogo obrazovaniya SSSR (Ministry of Higher and Intermediate Special Educations, USSR) convened a Conference on Kinetic Analysis Methods, which was held at the Ivanovskiy khimiko tekhnologicheskiy institut (Ivanovo Institute of Chemical Technology) from June 14 to 16, 1960. 16 lectures were delivered by collaborators of the Institut geokhimii i analiticheskoy khimii AN SSSR (Institute of Geochemistry and Analytical

Card 1/4

S/153/60/003/006/009/009 B103/B206

Conference on kinetic analysis..

Chemictry AS USSR), Institut obshchey i neorganicheskoy khimii AN USSR (Institute of General and Inorganic Chemistry AS UkrSSR), the Universities of Moscow, Kiyev and Dnepropetrovsk, the Ivanovo Institute of Chemical Technology and IREA (Institut khimicheskikh reaktivov, Institute of Chemical Reagents). The conference was also attended by representatives of several colleges, scientific research institutes and works laboratories as well as chemists from Ivanovo. The following subjects were dealt with in the lectures: I. P. Alimarin and Yu. V. Yakovlev; "The possibilities of modern determination methods of "ultrasmall" admixtures in "superpure" substances"; K. B. Yatsimirskiy, "The present state and development prospects of kinetic analysis methods". A. K. Babko, B. Ye. Reznik, V. I. Kuznetsov and I. G. Shafran.participated in the discussion. Further lectures dealt with the following subjects: A. K. Babko and L. V. Markova: "The photometric determination of microamounts of sulfides and sulfur in metals on the basis of the catalytic effect on the iodine-azide reaction"; B. Ye. Reznik and N. V. Pchelkina, "The photometric determination of copper and molybdenum on the basis of their catalytic effect"; B. Ye. Reznik, G. M. Ganzburg and N. A. Bednyak, "Study of the catalytic effect of some transition elements

Card 2/4

Conference on kinetic analysis ...

S/153/60/003/006/009/009 B103/B206

on molybdenum reduction by means of thiocyanate"; R. P. Pantaler, "A new kinetic determination method of tungsten- and molybdenum traces". L. T. Bugayenko reported on the use of kinetic analysis methods in radiation-chemical studies. S. I. Sinyakova gave a review on the use of kinetic catalytic currents in polarography for the determination of very small concentrations of several elements. K. B. Yatsimirskiy and L. I. Budarin, "Determination of the equilibrium constants in systems with complex formation on the basis of the study of catalytic polarographic currents"; V. I. Kuznetsov and Ye. S. Ul'yanova, "Radiation-kinetic determination of polonium". L. I. Budarin and K. Ye. Prik showed and discussed new types of instruments for the kinetic analysis. M. N. Orlova reported on "Kinetic determination methods of silver in solutions". Apart from those already mentioned, G. A. Pevtsov participated in the discussion. Further lectures: A. K. Babko and N. M. Lukovskaya, "The effect of complex-forming substances on the catalysis of the chemiluminescence reactions". L. P. Rayzman reported on the results of the study of complex formation of zirconium with anions of organic acids by the kinetic method. K. Ye. Prik, "Application of the kinetic method for studying the complex formation of tungsten (VI)

Card 3/4

CIA-RDP86-00513R001962310009-0

Conference on kinetic analysis...

S/153/60/003/006/009/009 B103/B206

in solutions"; M. B. Shustova, "Vanadium determination in metallic titanium". M. L. Chepelevetskiy pointed out the necessity of studying the kinetics of heterogeneous processes, especially the formation of crystalline precipitates, for the purpose of using these data in the analysis. V. M. Peshkova pointed out the possibilities of combining the kinetic methods with extraction methods for the determination of several elements. Some results of the conference were summarized in the closing address by K. B. Yatsimirskiy and A. K. Babko. The authors are of the opinion that the conference was useful and showed that the kinetic analysis methods are being successfully developed in Moscow, Kiyev, Ivanovo, Dnepropetrovsk, Khar'kov and Odessa. The delegates had the opportunity of informing one another on the results and of indicating future research trends. The authors propose to elaborate concrete methods for practical use in the analysis of industrial objects. New types of instruments are to be elaborated and manufactured in series. Standards with fixed content of microadmixtures should be prepared and corresponding data should be published.

Card 4/4

"APPROVED FOR RELEASE: 09/19/2001

CIA-RDP86-00513R001962310009-0

5. 2620 5(2), 5(4) AUTHOR:	S/078/60/005/02/005/045 Yatsimirskiy, K. B. B004/B016	
TITLE:	Determination of Structure and Geometric Configuration of Complexes by Means of Thermodynamic Data	
PERIODICAL:	Zhurnal neorganicheskoy khimii, 1960, Vol 5, Nr 2, pp 264-270 (USSR)	
ABSTRACT:	This paper was presented at the 8th Congress on the Chemistry of Complex Compounds, on May 26, 1959, in Kiyev. For the	
	energy W of the interaction between an ion and the particles combining with it, the following equation is set up: W = U + C + E. U denotes the energy of interaction between	
	particles of the ionic type; C is the energy additionally obtained by the formation of covalent bends, and E is the energy of extrastabilization by the crystal field (the field of ad-	
	denda). It is pointed out in the present paper that the structure of complex compounds with organic addenda may be determined by comparing the stability of compounds with central ions	
Card 1/3	(Mg ²⁺ and Zn ²⁺) equal with respect to their dimensions. The difference of the exponents of the instability constants of	

68219

Determination of Structure and Geometric Con- S/078/60/005/02/005/045 figuration of Complexes by Means of Thermodynamic B004/B016

Data

analogous complexes of Mg and Zn characterizes the degree of covalency of the bond between metal and addendum, and depends on number and type of the atoms which the bond is established with. Equation (5) is derived: $\Delta C = -\Delta Z = \alpha (pK_{Zn} - pK_{Mg})$, where ΔZ denotes the change in free energy, $\alpha = 2.3RT$ and $pK_{Zn} - pK_{Mg}$ the difference of the exponents of the instability constants. Then follows (5a): $\Delta C = \alpha \Delta pK_{ZnMg}$. As $\Delta C = 0$, the degree of covalency of the bond with H_20 is taken. If the bond of the addendum A with the central ion is more covalent than the bond with H_20 , ΔC will be positive. Table 1 gives the values of ΔpK_{ZnMg} for some addenda. Table 2 shows that ΔpK_{ZnMg} has the value 0.6 for each bond of the addendum by an 0-atom, and the value 2.8 for each bond by amino nitrogen. By the equation $\Delta pK_{ZnMg} = 2.8n_N + 0.6n_0$, the structure of many complex compounds can be clarified (Table 3). To characterize the geometric configuration of complex compounds, the author uses the

Card 2/3

Determination of Structure and Geometric Configuration of Complexes by Means of Thermodynamic Data

68219 S/078/60/005/02/005/045 B004/B016

ratio of the change in energy of extrastabilization by the example of Cu and Ni; $\Delta E^{\dagger}_{Cu} \Delta E^{\dagger}_{Ni}$. The value of this ratio is

 \sim 1 for octahedral complexes (Table 4). If the addenda occupy only 4 positions in the octahedron, two configurations will be possible which the values $\Delta E_{Cu}^{i}/\Delta E_{Ni}^{i} = 1.46$ (cis-configuration)

and = 2.11 (trans-configuration) correspond to (Table 5). In the same way, the structures of complexes, in which the addenda occupy only two coordination positions will be distinguished by the value $\triangle E_{Cu}^{*}/\triangle E_{Ni}^{*}$ (Table 6). The author quotes

V. F. Toropova (Ref 6). There are 6 tables and 9 references, 7 of which are Soviet.

ASSOCIATION:

Ivanovskiy khimiko-tekhnologicheskiy institut (Ivanovo In-

stitute of Chemical Technology)

SUBMITTED:

June 30, 1959

Card 3/3

YATSIMIRSKIY, K.B.; RAYZMAN, L.P.

Catalytic oxidation of iodide with hydrogen peroxide in the presence of zirconium salts. Zhur. neorg. khim. 5 no.3:593-598 Mr 160. (MIRA 14:6)

1. Ivanovskiy khimiko-tekhnologicheskiy institut.
(Iodides)
(Hydrogen peroxide)
(Zirconyl chloride)

"APPROVED FOR RELEASE: 09/19/2001 CIA-RDP86-00513R001962310009-0

YATSIMIRSKIY, K.B.; ORLOVA, M.N.

Kinetics and mechanism of the conversion of the hexacyanoferrate(II) ion in the presence of a gold-thiourea complex. Zhur. neorg. khim. 5 no.10:2184-2189 0 '60. (MIRA 13:10)

1. Ivanovskiy khimiko-tekhnologicheskiy institut, Kafedra analiticheskoy khimii.

(Gold compounds) (Iron compounds)

85624

9,4300 (3203, 1043, 1143)

S/078/60/005/012/005/016 B017/B064

AUTHOR:

Yatsimirskiy, K. B.

TITLE:

Factors Determining the Magnitude of the Effect of a

Crystal Field

PERIODICAL:

Zhurnal neorganicheskoy khimii, 1960, Vol. 5, No. 12,

pp. 2672-2676

TEXT: By the effect of a crystal field, the author understands the change of energy in the jump of an electron from the orbit d_{XY} to the orbit d_{X2-y}2. Fig. 1 shows the orbits of the central atom in the XY plane. The effect of the crystal field is characterized by the electron density in the orbits. Some factors determining the magnitude of the effect of a crystal field, e.g., the radius and the charge of the central ion, its electron structure, as well as the type of addenda, are explained. Fig. 2 shows the effect of a crystal field as a function of the square product of the central ion charge and the radius. Fig. 3 shows

Card 1/2

APPROVED FOR RELEASE: 09/19/2001

CIA-RDP86-00513R001962310009-0"

85624

Factors Determining the Magnitude of the Effect of a Crystal Field

S/078/60/005/012/005/016 B017/B064

the dependence of the effect of a crystal field on the electron structure of the central atom. The effect of a crystal field for complexes of the MX6 and M(H20)6 types depends only on the type of addenda, and is independent of the type of the central stom. The ratio

dependent of the type of the central atom. The ratio


 $\frac{(E_1-E_2)_X}{(E_1-E_2)_{H_2}0} = \eta$ for various complexes is given in Table 3. The effect

of a crystal field of various complex compounds of the MX₆ type is calculated by the formula $(E_1-E_2)_X = \eta (E_1-E_2)_{H_20}$. There are 3 figures,


2 tables, and 8 non-Soviet references.

SUBMITTED: May 25, 1960

Card 2/2



APPROVED FOR RELEASE: 09/19/2001 CIA-RDP86-00513R001962310009-0"



84630

S/076/60/034/010/011/022 B015/B064

11.4000

AUTHORS: Yatsimirskiy, K. B., and Krestov, G. A.

TITLE: Lattice Entropy of Compounds Formed From Monatomic

Ions Having the Structure of Inert Gases

PERIODICAL: Zhurnal fizicheskoy khimii, 1960, Vol. 34, No. 10,

pp. 2263 - 2267

TEXT: Lattice entropy is of theoretical and practical importance since it forms the basis of calculating the free lattice energy from which, in turn, important data are obtained for various processes, e. g., dissolution, sublimation, etc. The lattice entropy of compounds originating from monatomic ions with the electron structure of an inert gas is calculated in the present paper on the basis of experimental data. To establish a relationship between the energy and the entropy of the crystal lattice, the authors studied the phase transition "crystal - gaseous ions" and introduce the definition of a "conditional" temperature of ion sublimation:

Card 1/6

84630

Lattice Entropy of Compounds Formed From Monatomic Ions Having the Structure of Inert Gases

S/076/60/034/010/011/022 B015/B064

$$T_{\underline{i}}^{\bullet} = \frac{U_{298}}{\Delta S_{298}} \tag{3}$$


 $(U_{298} \text{ and } \Delta S_{298} = \text{energy and entropy, respectively, of the crystal lattice at 298°K). When comparing the values for <math>T_i^i$ with those of the lattice energy, it is found that for each compound a concentration of points takes place on the curve (Fig.), and that the respective section may be defined by the following equation:

 $T_i' = \alpha U_{298} + \beta$ (4) (α and β are constants of the single-type compounds). The values for α and β were calculated by the method of least squares for the three valency types 1 - 1, 2 - 1, and 2 - 2 of compounds (Table 3). The entropy of the crystal lattice is calculated from the following equation:

 $\Delta S_{298} = \frac{U_{298}}{\alpha U_{298} + \beta}$ (5)

Card 2/6

Lattice Entropy of Compounds Formed From Monatomic Ions Having the Structure of Inert Gases The entropy of the crystalline compound was determined from the equation S298 = mSmn+ + nSm AS298 (6) (m and n = stoichiometric coefficients of the equation of phase transition: Smn+and Sm- = entropy of gaseous ions under standard conditions for cation and anion). Equations (4) and (5) thus represent the relationship between the energy and entropy of the crystal lattice and the temperature of the phase transition "crystal-ionic gas". In some respect, there is an analogy with Trouton's rule. The entropy of 27 compounds was calculated from equations (5) and (6) (Table 4) and bompared with the corresponding data from the handbook by Rossini et al. (Ref. 4). Equation (5) allows to calculate the lattice energy of substances for which no thermochemical data are available, but only the ionic radii (Table 5). A. F. Kapustinskiy is mentioned. There are 1 figure, 5 tables and 10 references: 8 Soviet, and 2 US.			
equation S298 = mS _{Mn+} + nS _{Xm-} - \(\text{S}_{298} \) (6) (m and n = stoichiometric coefficients of the equation of phase transition: S _{Mn+} and S _{Xm-} = entropy of gaseous ions under standard conditions for cation and anion). Equations (4) and (5) thus represent the relationship between the energy and entropy of the crystal lattice and the temperature of the phase transition "crystal-ionic gas". In some respect, there is an analogy with Trouton's rule. The entropy of 27 compounds was calculated from equations (5) and (6) (Table 4) and bompared with the corresponding data from the handbook by Rossini et al. (Ref. 4). Equation (5) allows to calculate the lattice energy of substances for which no thermochemical data are available, but only the ionic radii (Table 5). A. F. Kapustinskiy is mentioned. There are 1 figure, 5 tables and 10 references: 8 Soviet, and 2 US.		From Monatomic Ions Having the B015/B064	
(m and n = stoichiometric coefficients of the equation of phase transition: S _{Mn+} and S _{Xm-} = entropy of gaseous ions under standard conditions for cation and anion). Equations (4) and (5) thus represent the relationship between the energy and entropy of the crystal lattice and the temperature of the phase transition "crystal-ionic gas". In some respect, there is an analogy with Trouton's rule. The entropy of 27 compounds was calculated from equations (5) and (6) (Table 4) and compared with the corresponding data from the handbook by Rossini et al. (Ref. 4). Equation (5) allows to calculate the lattice energy of substances for which no thermochemical data are available, but only the ionic radii (Table 5). A. F. Kapustinskiy is mentioned. There are 1 figure, 5 tables and 10 references: 8 Soviet, and 2 US.		equation	:0
transition: S_{Mn+} and S_{Xm-} - entropy of gaseous ions under standard conditions for cation and anion). Equations (4) and (5) thus represent the relationship between the energy and entropy of the crystal lattice and the temperature of the phase transition "crystal-ionic gas". In some respect, there is an analogy with Trouton's rule. The entropy of 27 compounds was calculated from equations (5) and (6) (Table 4) and compared with the corresponding data from the handbook by Rossini et al. (Ref. 4). Equation (5) allows to calculate the lattice energy of substances for which no thermochemical data are available, but only the ionic radii (Table 5). A. F. Kapustinskiy is mentioned. There are 1 figure, 5 tables and 10 references: 8 Soviet, and 2 US.	•	$^{5}298 - ^{m}_{Mn+} + ^{n}_{Nm-} - ^{\Delta}_{298}$ (6)	
relationship between the energy and entropy of the crystal lattice and the temperature of the phase transition "crystal-ionic gas". In some respect, there is an analogy with Trouton's rule. The entropy of 27 compounds was calculated from equations (5) and (6) (Table 4) and compared with the corresponding data from the handbook by Rossini et al. (Ref. 4). Equation (5) allows to calculate the lattice energy of substances for which no thermochemical data are available, but only the ionic radii (Table 5). A. F. Kapustinskiy is mentioned. There are 1 figure, 5 tables and 10 references: 8 Soviet, and 2 US.		(m and n = stoichiometric coefficients of the equation of phase transition: S _{Mn+} and S _{Xm-} = entropy of gaseous ions under standard conditions	15
bompared with the corresponding data from the handbook by Rossini et al. (Ref. 4). Equation (5) allows to calculate the lattice energy of substances for which no thermochemical data are available, but only the ionic radii (Table 5). A. F. Kapustinskiy is mentioned. There are 1 figure, 5 tables and 10 references: 8 Soviet, and 2 US.		relationship between the energy and entropy of the crystal lattice and the temperature of the phase transition "crystal-ionic gas". In some respect, there is an analogy with Trouton's rule. The entropy of	< 20
There are 1 figure, 5 tables and 10 references: 8 Soviet, and 2 US. Card 3/6	•	bompared with the corresponding data from the handbook by Rossini et al. (Ref. 4). Equation (5) allows to calculate the lattice energy of substances for which no thermochemical data are available, but only	
		the ionic radii (Table 5). A. F. Kapustinskiy is mentioned. There are 1 figure, 5 tables and 10 references: 8 Soviet, and 2 US.	25
30	•	Card 3/6	
맞도 시험을 받았다면 기를 받으면 되었다. 그동원들은 장생이 되었다고 말하는 것도 모든 모든 그를			30



"APPROVED FOR RELEASE: 09/19/2001 CIA-RDP86-00513R001962310009-0

	ния,	Bnuq		Соедине-	BBUT	Sence	Соедине-	d		
,Card 5/6	LiF LiCl LiBr LiJ NaF NaCl NaBr NaJ KF KCI KBr KJ RbF RbCl RbBr RbJ CsF CsCl CsBr CsJ FrF FrCl FrBr FrJ	9,0 12,9 15,0 18,3 13,8 17,5 20,5 22,8 16,0 20,4 23,3 25,6 10,6 23,1 26,0 28,2 21,6 25,1 27,9 30,1 29,9 32,9	8,57 14,2	MgFs MgCls MgBrs MgBrs MgBrs MgBrs MgBrs CaFs CaCls CaBrs SrCls SrFs SrCls SrBrs SrJs BaCls BaBrs RaFs RaFs RaFs	13,6 20,5 26,1 30,1 17,3 24,4 30,1 34,1 20,9 28,0 33,7 37,8 23,6 30,5 36,2 40,5 25,4 32,2 37,9 42,5	13,68 21,4 ————————————————————————————————————	MgO MgS MgSo MgTo CaO CaS CaSo CaTe SrO SrS SrSo SrTo BnO BnS BaSe BaTe RaO RaS	6.1 11.1 14.9 17.5 9.7 14.3 18.0 20.6 13.3 17.9 21.5 24.0 15.8 20.1 23.7 26.2 17.6 22.1 25.7 28.1	6,4 ————————————————————————————————————	15 20 25

6/60/034/010/011/022 /B064 icients, 2 = valency experimental values monatomic ions empound, 2 = Scalc., and radium halides, radium a metal tellurides
experimental values m monatomic ions empound, 2 = S calc. and radium halides radium
metal tellurides
50
5:

86779

S/076/60/034/011/005/024 B004/B064

11.5000

AUTHORS: Yatsimirskiy, K. B. and Krestov, G. A. (Ivanovo)

TITLE: Lattice Entropy of Compounds With Polyatomic Ions

PERIODICAL: Zhurnal fizicheskoy khimii, 1960, Vol. 34, No. 11,

pp. 2448 - 2453

TEXT: In a previous paper (Ref. 1), the authors studied the entropy of the crystal lattice of compounds consisting of monatomic ions with the electron structure of inert gases. The equation $\Delta S_{298} = U_{298}/(\alpha U_{298} + \beta)$

(1) was derived. U_{298} is the energy; ΔS_{298} is the entropy of the crystal lattice; α , β are constants. This paper deals with compounds of monatomic cations having the electron structure of inert gases and polyatomic hydroxy anions. On the basis of the data of Refs. 2-4, the following values are determined for the crystal lattice entropy:

Card 1/4

DOIIX

Lattice Entropy of Compounds With Polyatomic Ions

B/076/60/034/011/005/024 B004/B064

Table 1 (values in entropy units)

Compound	ΔS ₂₉₈	Compound	△S ₂₉₈	Compound	ΔS ₂₉₈
Na NO 3	65.9	Li ₂ CO ₃	100.64	MgCO3	78.5
KNO ₃	63.56	Na ₂ CO ₃	96.9	CaCO	74.5
KC103	66.66	Na ₂ SO ₄	98.0	SrCOz	74.8
RbClO ₃	66.8	K2SO4	95.1	BaCO _z	72.6
KBr03	68.9	Mg(OH) ₂	103,42	MgSO	76.6
KC103	63.8	Ca(OH)2	101.8	CaSO,	74.5
RbC104	63.8	$Mg(NO_3)_2$	113.1	SrSO,	73.2
CsClO ₄	61.59	Ca(NO ₃) ₂	107.4	BaSO ₄	72.1
KMn0 ₄	60.49	$Ba(NO_3)_2$	106.2	RaSO	71
		Ra(NO ₃) ₂	106.8	CaCrO _A	69.7

As compared with the experimental values, these values show a difference A. It is due to the rotation inhibition of the polyatomic ions in the crystal Card 2/6

86779

Lattice Entropy of Compounds With Polyatomic

\$/076/60/034/011/005/024 B004/B064

which depends on the structure of the ion. A = $\gamma \cdot s_{rot}$ (3) is derived (S_{rot} = rotational component of the entropy; η = degree of inhibition). For the polyatomic anions the values are given for A, S_{rot} , and $\gamma = A/S_{rot}$:

Table 3, Values for A

Calcu	lated .	From Equ	ation (3
Anion	A	Srot	n
OH_	6.2	-	_
NO3	11.4	19.17	0.595
C103	14.4	22.4	0.643
Br03	16.0	23.2	0.690
C104	12.2	20.08	0.608
MnO ₄	9.2	20.50	0.449
co ₃ ²⁻	17.0	19.64	0.855

Continuation of Table 3:							
Anion	A	Srot	n				
so <mark>2-</mark>	18.4	20.17	0.912				
cro ² -	15 1	20 55	A 775				

For polyatomic ions (1) takes the form: $\Delta S_{298} = U_{298}/(\alpha U_{298} + \beta) + n\eta S_{rot}$ (4). n is the number of polyatomic ions in the compound. The values for α and β were taken from Ref. 1:

APPROVED FOR RELEASE: 09/19/2001

CIA-RDP86-00513R001962310009-0"

86779

Lattice Entropy of Compounds With Polyatomic S/076/60/034/011/005/024 B004/B064

1-1 MX ($\alpha = 0.01428$, $\beta = 755$) MX_2 ($\alpha = 0.00855$, $\beta = 1655$)

MX (α = 0.01125, β = 4210). The entropy of the crystalline substances was calculated from the equation S₂₉₈ = $^{\rm mS}$ + $^{\rm nS}$ - $^{\rm \Delta S}$ ₂₉₈ (5), m,n are the

stoichiometric coefficients, S X^{m-1} is the entropy of the gaseous ions.

Table 4 gives the values obtained for 66 compounds. There are 4 tables and 12 references: 9 Soviet and 3 US.

ASSOCIATION: Ivanovskiy khimiko-tekhnologicheskiy institut (Ivanovo Institute of Chemical Technology)

SUBMITTED: February 7, 1959

Legend to Table 4: 1) Compound; 2) ΔS_{298} according to equation (4); 3) S_{calc} calculated from equation (5); 4) S_{exp} - S_{calc} : calculated from the modified equation of A. F. Kapustinskiy.

Card 4/6/ IVANOVSKIY Khimiko-texhnologicheskiy inscient

1	YATSIMIRSKIY, Konstantin B.	
	"The Stability of Coordination Compounds."	
	report to be submitted for the Sixth International Conference on Coordination Chemistry, IUPAC, 27 August - 1 Sep 1961, Detroit Mich.	
	Ivanovo Chemical Technology Inst.	

YATSIMIRSKIY, K.B.

New variant of a kinetic method of analysis. Izv. vys. ucheb. zav.; khim.i khim.tekh. no.2:315-317. '61. (MIRA 14:5)

1. Ivanovskiy khimiko-tekhnologicheskiy institut. Kafedra analiticheskoy khimii.

(Chemical reaction, Rate of) (Chemistry, Analytical)

YATSIMIRSKIY, K.B.; ZHUKOV, Yu.A.

Kinetics of the oxidation of iodide with hydrogen peroxide in the presence of thorium salts. Radiokhimia 3 no.4:466-472 '61. (MIRA 14:7)

(Thorium compounds) (Iodides) (Hydrogen peroxide)

STAROSTINA, V.D.; YATSIMIRSKIY, K.B.

Spectrophotometric studies of compounds of acid chrome blue K with nickel and cobalt ions. Izv.vys.ucheb.zav; khim.i khim. tekh. 4 no.5:710-714 '61. (MIRA 14:11)

1. Ivanovskiy khimiko-tekhnologicheskiy institut, kafedra neorganicheskoy i analiticheskoy khimii.

(Azo compounds--Spectra)

S/078/61/006/003/001/022 B121/B208

AUTHOR:

Yatsimirakiy, K. B.

TITLE:

Anatoliy Fedorovich Kapustinskiy (deceased)

PERIODICAL: Zhurnal neorganicheskoy khimii, v. 6, no. 3, 1961, 513-517

TEXT: On August 26, 1960, the well-known Soviet scientist Anatoliy Fedorovich Kapustinskiy died, who has been a Corresponding Member of the Academy of Sciences USSR, Doctor and Professor of Chemical Sciences. Born on December 29, 1906 in Zhitomir, he finished high-school in 1922, conon December 29, 1906 in Zhitomir, he finished high-school in 1922, continued with his study at the Chemical Department of Moscow University until 1929, and worked then until 1941 in the Vsesoyuznyy institut until 1929, and worked then until 1941 in the Vsesoyuznyy institut prikladnoy mineralogii (All-Union Institute of Applied Mineralogy). His prikladnoy mineralogii (All-Union Institute of A

Card 1/5

S/078/61/006/003/001/022 B121/B208

Anatoliy Fedorovich...

same time Professor of Physical Chemistry at Moskovskiy institut stali (Moscow Steel Institute). During World War II, he was Professor of Physical Chemistry at Kazanskiy gosudarstvennyy universitet (Kazan' State University); from 1943 up to his death he was Professor of Inorganic and General Chemistry at Moskovskiy khimiko-tekhnologicheskiy institut im. D. I. Mendeleyeva (Moscow Institute of Chemical Technology imeni D. I. Mendeleyev). He published about 300 papers and some scientific books. Of special importance are his papers on the thermodynamics of crystalline inorganic compounds. His papers show a high accuracy and offer many experimental examples. He suggested a formulation for the so-called second principle of crystallochemistry: Crystal energy and the properties determined by it depend on the number of ions, the ionic radii, and their polarizability. He set up the well-known "Kapustinskiy equation" for the calculation of lattice energy, which was completed in co-operation with K. B. Yatsimirskiy. To calculate the lattice energy of crystals, the composition of the salts to be studied, their charge, and the ionic radii of the participating ions have to be determined by X-ray structural analysis. The thermodynamic constants of many inorganic compounds were determined by Kapustinskiy. In 1949, he

Card 2/5

S/078/61/006/003/001/022 B121/B208

Anatoliy Fedorovich...

published the book "Termicheskiye konstanty neorganicheskikh veshchestv" ("Thermal constants of inorganic compounds") in co-operation with E. V. Britske, B. K. Veselovskiy, L. M. Shamovskiy, L. G. Chentsova, and B. I. Anvayer. A. F. Kapustinskiy and his co-workers Yu. P. Barskiy, O. Ya. Samoylov, and I. I. Lipilina devised a new method for the thermodynamic investigation of inorganic compounds. Numerous papers on the thermochemistry of complex compounds were published together with A. A. Shidlovskiy, B. M. Yakushevskiy, V. A. Solokhin, et al. By crystallochemical studies he found that the ionic radii of elements change with the ion charge and the number of electrons. In 1949, A. F. Kapustinskiy introduced a new constant into crystallochemistry, i.e., the "crystallochemical electronegativity". His papers revealed the relationships between the elements in the periodic system. He found a relation between the entropy of the ions in solution and their position in the periodic system (1944). He further established (1958) a relation between the heat of formation of the individual compounds and the atomic number of their elements, which he called the rule of "thermochemical logarithmics". In 1956, he suggested the electron isomerism of atoms which gave rise to a new concept of the formation of atoms in iso-Card 3/5

s/078/61/006/003/001/022 B121/B208

Anatoliy Fedorovich ...

meric forms. He thoroughly studied the thermodynamics of solutions and dissolution processes for various systems. In his papers on the thermodynamics of solutions published in co-operation with his co-workers V. A. Mal'tsev, B. I. Anvayer, V. R. Klokman, O. Ya. Samoylov, I. I. Lipilina, B. M. Yakushevskiy, S. I. Drakin, N. M. Selivanova, I. I. Ruzavin, et al., he determined experimentally the thermal properties of ions in solutions. In 1952, he published, together with 0. Ya. Samoylov, a paper on the thermochemical method of determining the coordination number of ions in solutions. The solubility products of sulfides were exactly determined and their thermodynamic characteristics checked. With K. B. Yatsimirskiy he established the theory of crystal ion dissolution (1948). Utilizing new achievements in the investigation of various systems, he worked in the field of physico-chemical analysis in cooperation with his students B. A. Shmelev, S. I. Drakin, Yu. M. Golutvin, A. N. Zhdanova, Yu. P. Barskiy, and others. Theoretical considerations enabled A. F. Kapustinskiy to develop an ingenious theory on the structure of the globe, which was reported in 1957 on the Symposium of Geochemistry in Paris. He further published various papers on the history of science of the Soviet Union and foreign countries.

Card 4/5

S/078/61/006/003/001/022
B121/B208

A. F. Kapustinskiy also took part in the edition of various journals, and was assistant editor of the journal "Izvestiya Akademii nauk SSSR, OKhN" for 20 years. He further took part in the edition of the great Soviet encyclopedia.

24.7000 1138, 1160, 1043

89900

B/078/61/006/003/002/022 B121/B208

11.2221

Yatsimirskiy, K. B.

AUTHOR:

Lattice energy of metal salts and metallic oxides PERIODICAL: Zhurnal neorganicheskoy khimii, v. 6, no. 3, 1961, 518-525

TEXT: The equation by A. F. Kapustinskiy (Ref. 1) $U = 287.2 \frac{\sum_{n} \cdot Z_{K} \cdot Z_{A}}{r_{K} + r_{A}} \left[1 - \frac{0.345}{r_{K} + r_{A}} + 0.00870(r_{K} + r_{A}) \right]$ (1) and

U = 287.2 $\frac{\sum_{n} \cdot z_{K} \cdot z_{A}}{r_{K} + r_{A}} \left(1 - \frac{0.345}{r_{K} + r_{A}}\right) + 2.5 \sum_{n} \cdot z_{K} \cdot z_{A}$ (1a), respectively, is

used for calculating the lattice energy of various salts and metallic oxides. The lattice energy obtained for compounds of cations with eight electrons was found to differ only by 3% from the experimental values. An exception is only the lattice energy of aluminum compounds, in which the difference between experimental and calculated values is 9%. Table 1 presents the lattice energies of compounds of tri- and tetravalent cations

Card 1/2

APPROVED FOR RELEASE: 09/19/2001

CIA-RDP86-00513R001962310009-0"

89900

Lattice energy of metal salts ...

S/078/61/006/003/002/022 B121/B208

with eight electrons in the outer shell. Table 2 gives the lattice energies of compounds of the MX₂ type, and Table 3 those of compounds of the M^{II}X^{II} type. The reaction energy between cations and anions in the lattice is expressed by the equation $U = U_1 + C + E$ (3), where $U_1 = \text{reac}$ -tion energy between the ions calculated by A. F. Kapustinskiy's equation, E = extrastabilization energy of the crystal field, C = formation energy of the partial covalence bond in the crystal K_A _m. The following equation was used to calculate $C: C = \alpha(I_K - W_A) - A$ (4), where $\alpha = \text{constant}$ multiplier = 7.8, A = constant, $I_K = \text{sum of ionization potentials}$, $W_A = \text{detachment energy}$ of two electrons from anions. Considering the energy of interaction between the ions, the ionization potential and the detachment energy of electrons from anions, the following equation is given to calculate the lattice energy: $U = U_1 + \alpha(I_K - W_A) - A$ (5). To obtain the lattice energy for compounds from monovalent cations and monovalent anions, Eq. (5) is modified in the following way:

Card 2/3

89900

Lattice energy of metal salts...

S/078/61/006/003/002/022 B121/B208

 $U=U_1+\alpha(I_K-\frac{1}{2}\,W_A)-A$ (6), where A=29. The lattice energy of Ag^+ , Cu^+ , and Tl^+ compounds was calculated from this equation with an accuracy of up to 2%. The lattice energies of compounds of cations with 18 electrons were calculated from the given equations and compared with the experimental data. Results are summarized in Table 7. The values of the lattice energies being known, the heats of formation for 16 salts were calculated from Eq. (2), results are summarized in Table 8. There are 2 figures, 8 tables, and 9 references: 6 Soviet-bloc and 3 non-Soviet-bloc.

ASSOCIATION: Ivanovskiy khimiko-tekhnologicheskiy institut (Ivanovo

Institute of Chemical Technology)

SUBMITTED: February 3, 1960

Card 3/9

YATSIMIRSKIY, K.B.; MAL'KOVA, T.V.

Composition and absorption spectra of copper bromide complexes in acetic acid solutions. Zhur.neorg.khim. 6 no.4:835-845 Ap 161. (MIRA 14:4)

1. Ivanovskiy khimiko-tekhnologicheskiy institut. (Copper compounds--Spectra)

YATSIMIRSKIY, K.B.; LU CHZHAO-DA [LU CHAO-TA]

Absorption spectra of complex compounds of trivalent copper in solution. Zhur.neorg.khim. 6 no.5:1129-1134 My '61.

(MIRA 14:4)

1. Ivanovskiy khimiko-tekhnologicheskiy institut.

(Copper compounds--Spectra)

YATSIMIRSKIY, K.B.; BUDARIN, L.I.

Method based on the use of catalytic polarographic currents in the study of the complexing of molybdenum with various acids.

Zhur.neorg.khim. 6 no.8:1850-1855 Ag '61. (MIRA 14:8)

(Molybdenum compounds) (Acids, Organic)

KRESTOV, G.A.; YATSMIRSKIY, K.B. Thermodynamic characteristics of complex compounds of cobalt (III) of the chloropentammine type. Zhur.neorg.khim. 6 no.10:2294(MIRA 14:9)

(Cobalt compounds)

CIA-RDP86-00513R001962310009-0" APPROVED FOR RELEASE: 09/19/2001

KRESTOV, G.A.; YATSIMIRSKIY, K.B.

Thermodynamic characteristics of complex compounds of cobalt (III) with neutral additives. Zhur.neorg.khim. 6 no.10:2304-2311 0 '61. (MIRA 14:9)

1. Ivanovskiy khimiko-tekhnologicheskiy institut. (Cobalt compounds)

YATSIMIRSKIY, K.B.; RAYZMAN, L.P.

Zirconium complex formation with anions of organic acids in solutions. Zhur.neorg.khim. ó no.11:2496-2503 '61. (MIRA 14:10)

1. Ivanovskiy khimiko-tekhnologicheskiy institut. (Zirconium compounds) (Acids, Organic)

YATSIMIRSKIY, K.B.; MAL'KOVA, T.V.

Use of absorption spectra for investigating the system Cu(CH₂COO)₂ - LiBr in acetic acid. Zhur.neorg.khim. 6 no.11:2590-2598 161.

1. Ivanovskiy khimiko-tekhnologicheskiy institut.
(Copper compounds--Spectra) (Lithium bromide--Spectra)

VASIL'YEV, V.P.; KORABLEVA, V.D.; YATSIMIRSKIY, K.B.

Conference on kinetic methods of analysis. Zhur. anal. khim.
16 no. 1:118 Ja-F '61.

(Chemical reaction, Rate of) (Chemistry, Analytical—Congresses)

JACINIRSKIJ, K. B. (Yatsimirskiy); ZANTHO, Robert es BECK, Mihaly[translators]

Theoretical bases for kinetic methods of analytical chemistry. Kem tud kozl MTA 16 no.4:375-387 '61.

1. Khimiko-tekhnologicheskiy institut, Ivanovo, SSSR.

(Chemistry, Analytic) (Reaction kinetics)

 PARKHOMENKO, N.V.; PRIK, G.A.; YATSIMIRSKIY, K.B.

Kinetic method for determining microquantities of cobalt in solutions. Zhur.anal.khim. 16 no.5:599-605 S-C '61. (MIRA 14:9)

1. Ivanovo Chemico-Technological Institute.
(Cobalt--Analysis) (Chemical reaction, Rate of)

YATSIMIRSKIY, K.; BUDARIN, L. I.

Determination of equilibrium constants in systems with complex formation on the basis of the study of catalytic polarographic currents. Coll Cz chem 26 no.1:215-223 Ja 161.

(EEAI 10:9)

1. Ivanovskiy khimiko-tekhnologicheskiy institut, Ivanovo, SSSR.

(Chemical equilibrium) (Polarograph and polarography) (Systems(Chemistry))

YATSIMIRSKIY, K.B., prof., doktor khimicheskikh nauk

"Physicochemical methods of analysis" by IU.S.Lialikov. Reviewed by K. B. IAtsimirskii. Zav.lab. 27 no.2:241-242 '61.

(Chemistry, Analytical)

(MIRA 14:3)

YATSIMIRSKIY, K.B.

Induction period in homogeneous-catalytic reactions. Izv. vys. ucheb. zav.; khim.i khim.tekh. 5 no.1:54-57 62. (MIRA 15:4)


1. Ivanovskiy khimiko-tekhnologicheskiy institut, kafedra analiticheskoy khimii.
(Catalysis)

YATSIMIRSKIY, K.B.; BUDARIN, L.I.

Kinetic method of determining small amounts of chromium. Izv.vys.ucheb.zav.;khim.i khim.tekh. 5 no.2:220-224 '62.

1. Ivanovskiy khimiko-tekhnologicheskiy institut, kafedra (MIRA 15:8) analiticheskoy khimii.

(Chromium-Analysis)



YATSIMIRSKIY, K.B.; BUDARIN, L.I.

New method of calculating instability constants in step-by-step complex formation. Zhur.neorg.khim. 7 no.5:1090-1094 My '62. (MIRA 1527)

(Complex compounds)

CIA-RDP86-00513R001962310009-0" APPROVED FOR RELEASE: 09/19/2001

YATSIMIRSKIY, K.B.; ZHUKOV, Yu.A.

Study of oxalate complexes of thorium by the kinetic method. Zhur.neorg. khim. 7 no.7:1583-1588 Jl '62. (MIRA 16:3)

YATSIMIRSKIY, K.B.; PRIK, K.Ye.

Study of the complex formation of tungsten (VI) with organic dibasic acids by the kinetic method. Zhur.neorg.khim. 7 no.7:1589-1594 Jl *62.

(Tungsten compounds) (Acids, Organic)

(Acids, Organic)

YATSIMIRSKIY, K.B.; RAYZMAN, L.P.

Catalytic oxidation of potassium iodide with hydrogen perexide in the presence of hafnium salts. Zhur. neorg. khim. 7 no.8:1819-1823 Ag '62. (MIRA 16:6)

(Potassium iodide) (Hydrogen peroxide)
(Hafnium salts)

YATSIMIRSKIY K.B.; BUDARIN, L.I.

Complex formation of tungsten (VI) with certain acids studied with the aid of catalytic polarographic currents. Zhur. neorg. khim. 7 no.8:1824-1830 Ag 762. (MIRA 16:6)

(Tungsten compounds) (Catalysis)

YATSIMIRSKIY, K.B.; DUCHINSKIY, Yu.S.; YEVREYEV, V.N.; MAL'KOVA, T.V.

Use of absorption spectra for determining the composition and configuration of chloride complexes of cobalt (II) in aqueous n. butanol. Zhur. neorg. khim. 7 no.8:1831-1837 (MIRA 16:6)

1. Ivanovskiy khimiko-tekhnologicheskiy institut.
(Cobalt compounds-Spectra)
(Chlorides)

VASILIYEVA, V.N., YATSIMIRSKIY, K.B.

Aquation kinetics of trans-dichloro-bis-ethylenediamine cobaltichloride. Zhur meorg.khim. 7 no.11:2520-2523

(MIRA 15:12)

(Cobalt compounds)
(Aquation)

YATSIMIRSKIY, K.B.; ZHUKOV, Yu.A.

Kinetic method of studying the reactions of complex formation by displacement of equilibrium. Zhur.neorg.khim. 7 no.12:2807-2809 D 62. (MIRA 16:2) (Complex compounds) (Chemical equilibrium)

YATSIMIRSKIY, K.B.; ALEKSEYEVA, I.I.

Spectrophotometric titration of lead with molybdate in the ultraviolet. Zhur.anal.khim. 17 no.5:574-578 Ag '62. (MIRA 16:3)

1. Ivanovo Chemico-Technological Institute.
(Lead-Spectra) (Molybdates)

"Catalymetric" titration. Dokl. AN SSSR 143 no.1:143-145 Mr
'62. (MIRA 15:2)


1. Ivanovskiy khimiko-tekhnologicheskiy institut. Predstavleno akademikom I.V.Tananayevym.


(Titration)

(Catalysis)

YATSIMIRSKIY, Konstantin Borisovich; STUPNIKOVA, N.I., red.; PANTELEYEVA, L.A., tekhn. red.

[Kinetic methods of analysis] Kineticheskie metody analiza.
Moskva, Goskhimizdat, 1963. 190 p. (MIRA 16:6)
(Chemical reaction, Rate of) (Chemistry, Analytical)





YATSIMIRSKIY, K.B.; MOROZOVA, R.P.

Induction period in homogeneous catalytic reactions involving hydrogen peroxide. Kin. i kat. 4 no.4:574-580 Jl-Ag 163. (MIRA 16:11)

1. Ivanovskiy khimiko-tekhnologicheskiy institut.

YATSIMIRSKIY, K.B.; MOROZOVA, R.P.

Effect of complex formation on the induction period in certain homogeneous catalytic reactions. Kin.i kat. 4 no.5:772-775 S-0 (MIRA 16:12)

1. Ivanovskiy khimiko-tekhnologicheskiy institut.

YATSIMIRSKIY, K.B.; MOROZOVA, R.P.

Some thermodynamic characteristics of starch icdide formation. Izv.vys.ucheb.zav.; khim. i khim. tekh. 6 no.6:925-929 '63. (MIRA 17:4)

1. Ivanovskiy khimiko-tekhnologicheskiy institut, kafedra analiticheskoy khimii.

YATSIMIRSKIY, K.B.; MOROZOVA, R.P.

Kinetic method of study of the stability of tantalum (V) solutions as dependent on pH and time. Izv.vys.ucheb.zav.; khim. i khim. tekh. 6 no.6:1044-1046 '63. (MIRA 17:4)

1. Ivanovskiy khimiko-tekhnologicheskiy institut, kafedra analiticheskoy khimii.

YATSIMIRSKIY, K.B.; ZAKHAROVA, L.A.

Spectrophotometric investigation of molybdenum thidsalts in solution. Zhur.neorg.khim. 8 no.1:96-99 Ja 163. (MIRA 16:5)

1. Ivanovskiy khimiko-tekhnologicheskiy institut.
(Molybdenum salts) (Spectrophotometry)

MAL'KOVA, T.V.; YATSIMIRSKIY, K.B.

Stability of copper bromide complexes in acetic acid solutions.

Zhur.neorg.khim. 8 no.2:332-337 F '63. (MIRA 16:5)

1. Iwanovskiy khimiko-tekhnologicheskiy institut.
(Gopper bromides) (Acetic acid)

YATSIMIRSKIY, K.B.; ZHUKOV, Yu.A.

Complex formation of thorium with anions of organic acids in solutions. Zhur.neorg.khim. 8 no.2:295-301 F '63. (MIRA 16:5) (Thorium compounds) (Acids, Organic)

					(MIRA 16:4)	.)	
(Io	dine)	(Hydrogen p	eroxide)	(N)	obium compou	nds)	

YATSIMIRSKIY, K.B.							
	Polyhydroxy ions.	Zhur.neorg.kklm. 8 no.4:811-816 Ap 163. (MIRA 16:3)					
		(Ions)					
			•				
		·					

S/078/63/008/004/004/013 AC59/A126

AUTHOR:

Yatsimirskiy, K.B.

TITLE:

Influence of the ligand field on the redux properties of the compounds of the transition elements

PERIODICAL: Zhurnal neorganicheskoy khimii, v. 8, no. 4, 1963, 876 - 881

TEXT: The problem of the redox properties of ions and their compounds having d-electrons on the last shell which is closely related to the stability of the respective electron structures is discussed in this paper on numerous examples. It has been shown that the stability of compounds with different numbers of d-electrons is determined to a considerable degree by the crystalline field effect and depends on the spatial position of the neighbor atoms and the force of the acting field (see Table). The rules established for the dependence of the stability of different compounds on the number of d-electrons can be explained by means of the ligand field theory or its simplified version - the crystalline field theory. As is known, the influence of the field of ligands (ions or molecules) leads to a splitting of the basic d-level into several new

Card 1/4

Influence of the ligand field on the redox ..

\$/078/63/008/004/004/013 A059/A126

levels which is schematically shown in Figure 3. The influence of the ligand field on the value of the redox potential has been demonstrated. The equations:

 $P = I_3 - 27.9 - 0.4n_d + \Delta E$, (9)

where P is the redox potential, n_d the number of electrons near the M²⁺ ion, I₃ the ionization potential of M³⁺, and ΔE the change of free energy, and

 $\Delta E = 0.26 (2 \rho' - \rho)$,

 $p = 2n_t - 3n_e ,$ (14)

[nt being the number of electrons on the lower level (t2g) and ne their number on the higher level (e_g)] and ρ' refers to the higher degree of oxidation, make it possible to calculate the redox potentials for processes in which compounds of elements with d-electrons take part. There are 4 figures and 1 table.

ASSOCIATION:

where

Ivanovskiy khimiko-tekhnologicheskiy institut (Ivanovo Institute

of Chemical Technology)

SUBMITTED:

April 14, 1962

Card 2/4

L 17008-63 EWP(q)/EWT(m)/BDS AFFTC/ESD-3 RM/JD/JG

\$/078/63/008/005/008/021

AUTHOR: Yatsimirskiy, K. B., Rayzman, L. P.

TITLE: Complexing of zirconium with the ions of inorganic acids

PERIODICAL: Zhurnal neorganicheskoy/khimii, v. VIII, No. 5. May 1963.

1107-1111

TEXT: The authors study the complex compounds of zirconium with the anions of sulfuric, molybdic and tungstate acid in quite dilute solutions. In the solutions studied, complexes with metal-alloy ratio of 1:1 were formed. The authors computed the equilibrium constants for the [ZrOSO₄] and [ZrMOO₄]²

complexes, and also found the approximate conditional value of the equilibrium constant for the interaction between zirconium chloroxide and sodium tungstenate. There are 2 tables. The 1 Enghish-language reference reads as follows: R. Connick, McVey, J. Amer. Chem. Soc., 71, 3182 (1949).

Complexing of zirconium with the ions....

ASSOCIATION: Ivanobo Chemico-Technological Institute.

Card 1/2,